• PRINTER RUSH • (PTO ASSISTANCE)

		9/ Examiner: _		GAU:	2/67
From: <u>ewc</u> Location: BD FMF FDC Date: 1/18-06 Tracking #:Epn 09867791 Week Date: 9-26-05 TTN- Chief Dreftsperson					
_	ures 5-	02.02.04 8, 10.11, 13		Data Data Drity Legibility	
				1 han	K YOU
[XRUSH] RES	e corred	uded as part of the offi			IALS:

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

REV 10/04




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6

dn: cn=managerrole, dc=dom, dc=ain

objectclass: top

objectclass: LDAPsubentry

objectclass: nsRole

objectclass: nsSimpleRole

objectclass: nsManageredRole

cn: managerrole

description: Manager Role within the Company

dn: uid=pointyhair, ou=people, dc=dom, dc=ain objectclass: top

objectclass: person

objectclass: inetorgperson

uid: pointy

gn: pointyhair

sn: hair

nsRoleDN: cn=managerrole, dc=dom, dc=ain

description: Pointy Haired Manager

dn: cn=building12people, dc=dom, dc=ain

objectclass: top

objectclass: LDAPsubentry

objectclass: nsRole

objectclass: nsComplexRole

objectclass: nsFilteredRole

cn: building12people

nsRoleFilter: building=12

description: People who work in building 12

dn: cn=megamanagerrole, dc=dom, dc=ain

objectclass: top

objectclass: LDAPsubentry

objectclass: nsRole

objectclass: nsComplexRole

objectclass: nsNestedRole

cn: megamanagerrole

nsRoleDN: cn=managerrole, dc=dom, dc=ain

nsRoleDN: cn=networkmanager, dc=dom, dc=ain

description: Super Manager Role within the Company

dn: cn=peonrole, dc=dom, dc=ain

objectclass: top

objectclass: LDAPsubentry

objectclass: nsRole

objectclass: nsComplexRole

objectclass: nsEnumeratedRole

object class: group of unique names

cn: peonrole

groupmember: uid=dboreham, ou=people, dc=dom, dc=ain

groupmember: uid=merrells, ou=people, dc=dom, dc=ain

groupmember: uid=claire, ou=people, dc=dom, dc=ain

description: Lowest of the Low Roles within the Company




FIGURE 12

FOR EACH ENTRY WITHIN SCOPE, THE COMPUTED ATTRIBUTE nsROLE IS CALCULATED.

THE COMPUTED ATTRIBUTE nsROLE IS EXAMINED TO SEE IF THE ROLE IS PRESENT.

THIS RESULTS IN A LIST OF ENTRIES THAT POSSESS THE ROLE.

THE LIST IS THEREAFTER RETURNED TO A CLIENT




FIGURE 14




FIGURE 15




FIGURE 16




FIGURE 17

DN: cn= messaging_server_cos, ou= people, o=acme

objectclass: top

objectclass: LDAPSubentry

objectclass: cosSuperDefinition

objectclass: cosClassicDefinition

cosTemplate

DN: cn=MailServerCOS, cn=LocalConfig, o=NetscapeRoot

cosSpecifier: mailServiceClass cosAttribute: mailboxquota

cosAttribute: maysendexternalmail

dn: cn = user, cn = MailServerCOS, cn = LocalConfig, o = NetscapeRoot

objectclass: top

objectclass: mailserveruser

objectclass: cosTemplate mailboxquota: 10000000

maysendexternalmail: TRUE

dn: cn=guest, cn=MailServerCOS, cn=LocalConfig, o=NetscapeRoot

objectclass:top

objectclass: mailserveruser objectclass: cosTemplate mailboxquota: 1000000

maysendexternalmail: FALSE




FIGURE 20




FIGURE 21

dn: cn= messaging_server_cos, ou= people, o=acme

objectclass: top

objectclass: LDAPSubentry

objectclass: cosSuperDefinition

object class: cosPointerDefinition

cosTemplateDn: ou=people, o=acme

cosAttribute: facsimilieTelephoneNumber default




FIGURE 23

dn: cn= messaging_server_cos, ou= people, o=acme

objectclass: top

objectclass: LDAPSubentry

objectclass: cosSuperDefinition objectclass: cosIndirectDefinition cosIndirectSpecifier: manager

cosAttribute: accountingCode